

Professional Ambulance Demo
 Jim McGregor
 8700 East FM917
 Alvarado, TX 76009
 800-561-6010
 passjim@airmail.net

Professional Ambulance
 Jim McGregor
 ARS,

Rev. Date: 06/22/2016

Quote No: REV 01-0003

Job/Order No: 1F6015

06/22/2016 11:51:49

WO#: 1F6015

Page 1

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
== Type 1, M1, 146 x 90 x 68hr - 1.000 02/19/16 ==			1	USAC	
CHASSIS:			1	USAC	
00-10-6108		Ford, 2016, F350, 4x2, "M1", Type 1 ,146 module 2016-1	1	USAC	00106108V
		Autothrottle OEM Ford			
		Alternator OEM Ford			
		Mirrors, OEM, Heated/Remote			
		Cab seats OEM Captains chairs(no armrests)			
DELIVERY			1	USAC	
00-98-0005		Dealer will arrange delivery	1	USAC	00-98-0005
		Sales to add money to recap			
CAB TO MODULE MOUNTING:			1	USAC	
10-10-1002		Bellows, Passthru, Unigrip, Ford Type 1	1	USAC	10101002V
		With Aluminum cab insert.			
CHASSIS ADD-ONS:			1	USAC	
1A-10-3700		Roof Reinforcement, Type 1 Ford	1	USAC	1A103700V
		Aluminum strips to reinforce cab roof			
1A-10-3900		Mirrors, OEM	1	USAC	9980003
ALTERNATOR(S):			1	USAC	
1K-40-5000		Alternator,OEM	1	USAC	9980003
THROTTLE CONTROLS:			1	USAC	
1P-50-5100		High Idle Controls, OEM	1	USAC	9980003
TIRE CHAINS			1	USAC	
35-05-2000		INTERIOR CABINETS -Duralite Construction, Wood	1	USAC	35052000V
MODULE BODIES:			1	USAC	
35-10-0070		Aisle Space, 49 inches, STD, Type 1 M1, Std (48-49" actual)	1	USAC	35100070V
		Install Black anti-slip decal on curbside and rear stainless steel thresholds, STD			
35-10-0970		Headroom, 68" H.R., Standard, M1	1	USAC	35100970V
35-14-9991		Box Assy, M1, 68in HR, Pan Doors, Type 1 Ford 146x90x68" HR	1	USAC	35149991V
36-A0-0102		C1, Compt, Single Door, M1, Type 1 Single door with inside /outside access, upper area.	1	USAC	36A00102V
		Outside access only to lower aluminum area.			

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
		Battery storage, under hood.			
36-B0-0102		C3, Compt, Spare Tire, M1, Type 1	1	USAC	36B00102V
36-D0-0103		S3, Compt, Full Height, M1, Type 1 Full height backboard storage.	1	USAC	36D00103V
36-E0-0102		S2 Compt, M1, Type 1	1	USAC	36E00102V
36-F0-0102		S1, Compt, 3/4 Height, M1, Type 1 Oxygen storage. Sweepout compartment floor.	1	USAC	36F00102V
37-00-0350		Coating, Scorpion X02, Per Compt, (1), Std Light Gray	4	USAC	3F-70-0520
37-00-0360		Coating, Scorpion, Rear Bumper Supports Black	1	USAC	3F-70-0525
37-00-0510		Compartments, Std, Floor 3" Drop Down, M1 Compartments C3 (more than 3" for spare tire) Compartments "S2" & "S3", 3" drop-down	2	USAC	37-00-0510
37-00-0600		Compartments, Sweepout Compartments "C1" & "S1" are standard sweep out	3	USAC	37-00-0600
37-00-0700		Pan Style Doors - Magnetic door switches, Standard	1	USAC	37000700V
		FUEL FILL HOUSING:	1	USAC	
3A-10-1000		Housing, Fuel Fill, Cast, Type 1	1	USAC	1000775V
		SHELF- COMPARTMENT "C1"/RF CABINET:	1	USAC	
3F-20-1001		Shelf, Adjustable,(1), RF Cabt, M1 - centered top to bottom.	1	USAC	1101600V
		SHELF- COMPARTMENT "S2":	1	USAC	
3F-50-0201		Shelf, Fixed, Cmpt S2, for Electrical storage, M1	1	USAC	3F500201V
		WINDOWS:	1	USAC	
3P-10-5201		Window,Upper,CS/Slider,Rr/Fixed,Privacy Tint,PAN Curbside window with lower slider section Rear windows fixed Privacy Tint	1	USAC	3P105201V
		MODULE ENTRY DOOR HANDLES:	1	USAC	
3U-30-8000		Handles, Patient Entry, Trimark Paddle, Black/Chrome, W/ override latch	1	USAC	3U3080RRV
		EXTERIOR COMPT DOOR HANDLES:	1	USAC	
3U-40-0507		Handle, Module Compt, Trimark Paddle, Black/Chrome, Curbside	2	USAC	42751RRV
3U-40-0509	S	Handle, Module Compt, Trimark Paddle, Black/Chrome, Streetside	3	USAC	42741RRV
3U-60-0150		Prewire for Electric Locks- Module entry doors Only Wiring to CS and rear doors for electric locks, wiring to CS wall for Switch.	1	USAC	3U600150V
		DOOR HOLD OPENS:	1	USAC	
40-10-1611		Hold Opens,Rr Doors,Cast,Grabber (2), 5.5", Std Model only Installed so doors will open as wide as possible - Mount at bottom of doors.	1	USAC	40101611V
40-10-7101		Holdopen, Gas Strut, Ext Compt, 60lb , M1 Compartment "S3", standard	1	USAC	1100514V

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
40-10-7201		Hold Open, Gas Strut, Ext Compt, 30lb, Std, M1 Compartments "C3", "S1", & "S2"	3	USAC	1100512V
40-10-7205		Hold Open, Gas Strut, RF Compt, 30lb, Std	1	USAC	1100516V
40-10-7750		Holdopen, Gas Strut, CS Entry Door, 35# Standard.	1	USAC	40107750V
		DOOR PANELS:	1	USAC	
45-10-4505		Panels, Entry, M1, Stainless Steel, w/ Chevrons, STD Upper and Lower door panels Stainless Steel Center lock box aluminum with white/red reflective tape	1	USAC	451045RRVV
		FENDER FLARES:	1	USAC	
4A-10-3001		Flare, Fender, Bright Finish	1	USAC	4A103001V
		BUMPERS:	1	USAC	
4F-11-5058		Bumper, Rear, M1, Ford Type 1, w/LED Lights with Gator Grip on flip up step.	1	USAC	4F115058V
		RUNNING BOARDS:	1	USAC	
4K-10-2108		Running Boards, Ford Type 1, w/ Gator Grip, M1	1	USAC	4K102108V
		SKIRTRAILS	1	USAC	
4U-10-2550		Skirtrails, Extruded rubber, 146 inch, M1	1	USAC	4U104450V
		STONE GUARDS (FRONT):	1	USAC	
4U-11-2030		Stone Guard, Front, Dia Plate, M1	1	USAC	4U-11-2030
		KICKPLATES (w/STD. REAR STONEGUARDS):	1	USAC	
50-10-4070		Kickplate, W/ (6) Trucklite Lights, M1, Standard	1	USAC	1100157V
55-10-3000		Holder, License Plate, Dietz, w/ light, M1, Standard On driver's side rear of module.	1	USAC	1600438V
		PAINT/BELTS:	1	USAC	
5F-10-0800		Paint, OEM White Sikkens Crossover Codes Ford white: FA91:YZ Dodge/Chevy white: FLNA4738 (2015 Chevy FLNA 41383)	1	USAC	5F-10-0800
5F-10-4800		Paint, Belt, None	1	USAC	1250202
		DECAL PACKAGES INSTALLED:	1	USAC	
5P-10-5000		Roof Star, White Border, Installed 32" Blue SOL with White border installed on roof	1	USAC	FLT2500206
		HEATING/AIR CONDITIONING:	1	USAC	
5U-12-5000		Hoses, Heater, No Max, to Rear, STD	1	USAC	9980003
5U-70-0100		Heat/AC, Ford type 1, 2011+, Combo with thermostat in action area.	1	USAC	5U700100V
5U-92-0500		Thermostat, Manual	1	USAC	
60-00-0000		ELECTRICAL SYSTEM: Kinequip Circuitboard	1	USAC	
		BATTERY SWITCHES:	1	USAC	
60-22-1025		Battery Switch, Cole Hersey Manual, Ford T1, Fig 5B, Batt under Hood (2) OEM batteries under hood ONLY Module power is turned on/off. Chassis power is NOT turned off.	1	USAC	60221025V
		COAX CABLES/ANTENNAS:	1	USAC	
65-30-1000		Coax Cable, RG58/U, (1) Each, Standard, Terminate: From module roof port number #3 to behind passenger seat standard - with 6' pigtails	1	USAC	1850001V

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
12VDC POWER SOURCES & OUTLETS:			1	USAC	
6A-22-201E		Outlet, Cigar Lighter, STD, (2), M1 Standard on standard 20-amp ignition hot circuit. ("elect batt sw") - (1) outlet in action area - (1) in RF Cabinet "E", wall #2, upper right	1	USAC	6A22200EV
6A-22-5200		Outlet, Kussmaul, USB Dual Port, 5VDC, 3 Amp output, switch panel Style Location in the Engine cover console switch panel.	1	USAC	XX-10-0120
POWER SOURCE, 12 VDC			1	USAC	
6A-23-0910		Power Source, 12VDC, 20A, Ignition/Shoreline Hot 20amp 12 volt DC circuit routed to two locations, (1) pre-wire coil and tagged in action area and (1) pre-wire coil and tagged behind driver's seat.	1	USAC	XX-10-0088
6A-23-1201		Power Source, 12 VDC, 15 Amp (+-), Std Model only - Ignition hot, terminating in cab console - with 6 foot tails (hot and ground).	1	USAC	FLT1800007
SHORELINE INLETS:			1	USAC	
6F-80-1410		Shoreline, Inlet, 15A, GFI, Std mounted above compartment "S2"	1	USAC	1200622V
110 VAC OUTLETS:			1	USAC	
6K-40-1000		Outlet, 110 VAC, Duplex, (2), STD - (1) outlet in action area - (1) outlet in the RF Cabinet "E", wall #2, upper right.	1	USAC	1800001V
INVERTERS:			1	USAC	
7F-10-9000		Inverter/Charger, Vanner 20-1050CUL-DC Mounted on fixed shelf or ceiling in Compartment "S2"	1	USAC	1296422V
CONSOLES:			1	USAC	
7U-10-0602		Console, Center, Pass-thru, Mica Finish, Ford Type 1	1	USAC	7U100602V
GAUGES/METERS:			1	USAC	
D0-10-6000		Smart Voltmeter, with Alarm, Audio/Visual With additional light on Cab Console for visual alarm.	1	USAC	D0106000V
SEQUENCING/LOAD MANAGEMENT:			1	USAC	
DA-10-4000		Switch, Emergency Master, Non Sequenced, Standard	1	USAC	1530052V
SIREN SPEAKERS:			1	USAC	
DF-10-1241		Siren Speakers, Cast SAD/P3806-11FSD-1, Ford Type 1, In Bumper	1	USAC	DF101241V
SIRENS:			1	USAC	
DK-10-1400		Siren, Whelen, WS-295-SLSA1, Standard	1	USAC	FLT1700297
SWITCHING OPTIONS FOR AIR HORNS & SIRENS:			1	USAC	
DP-11-1000		Switch, Siren/Horn Thru Horn Ring	1	USAC	1700622V
BACK-UP ALARMS:			1	USAC	
F0-11-0000		Alarm, Back-Up, Auto Reset, Std Model only	1	USAC	F0113501V
F0-11-3000		Alarm, Back-Up, Auto Reset, Std Model only	1	USAC	F0113501V
VEHICLE EXTERIOR LIGHTING			1	USAC	
WHELEN SUPER LED 9L SINGLE ROW FLASHING LIGHTS T1,3,9:			1	USAC	
FU-39-0110		Light, 9L, Single Row Super LED, Whelen, Red, Red Lens, ILOS, 90R02FRR (2) front upper outer corners (2) each side - standard location (2) rear upper outer corners PRI/SEC - External Flasher - Dual Burst	8	USAC	FU390110V

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
FU-39-0114		Light, 9L, Single Row Super LED, Whelen, Amber, Amber Lens,ILOS, 90A02FAR	1	USAC	FU390114V
		Over rear doors - standard location			
		PRI/SEC - External Flasher - Dual Burst			
FU-39-0118		Light, 9L, Single Row Super LED, Whelen, Clear ,ILOS, 90C02FCR	1	USAC	FU390118V
		Front center of modular body - standard location			
		PRI ONLY - External Flasher - Dual Burst			
		WHELEN SUPER LED 9L SINGLE ROW STEADY BURN LIGHTS T1,3,9:	1	USAC	
FU-39-0161		Light, 9L, Single Row Super LED, Whelen, Red, Red Lens,IATS, 90R02SRR	4	USAC	XX-17-1125
		(2) on rear to show through rear door windows			
		(2) on front of modular body - (1) either side of center clear light			
		PRI/SEC - External Flasher - Dual Burst			
		5 SERIES(TIR6) NON-SPLIT LED LIGHTS:	1	USAC	
H4-06-5702		Light,5L LIN6,Whelen,Red,Red Lens,50R02ZRR, Std, F1/D1 Only	2	USAC	H4065702V
		Grille - LH Upper Corner			
		Grille - RH Upper Corner			
		wired thru external flasher, std.			
		Primary Only.			
		WHELEN 5E FLANGES/HOUSINGS:	2	USAC	
H4-10-0044		Housing, 5L Series, #5LSMAC, (1),Std, F1/D1 Only	2	USAC	H4100044V
		INTERSECTION LIGHTS, FORD & Chevy Type 1, WHELEN	1	USAC	
H5-59-500E		Light, Whelen, LINZ6R, LED-Red, Std, Ford & Chevy Type 1 with chrome flanges	2	USAC	H559500EV
		Front Fender Warning - Intersectors - LH Side			
		Front Fender Warning - Intersectors - RH Side.			
		wired thru external flasher, std.			
		Primary Only.			
		CLEARANCE LIGHTS:	1	USAC	
HF-12-1005		Light, Clearance, Red, LED ILOS	7	USAC	1570074-1V
		(5) On rear and at rear on sides as clearance lights.			
HF-12-6005		Light, Clearance, Amber, LED ILOS	2	USAC	1570073-1V
		(5) On front and at front on sides as clearance lights.			
HF-12-9703		Lights, Red, 2 inch, Marker, LED, STD	2	USAC	HF219703V
		in side of bumper as running/turn signal.			
		SCENE AND LOAD LIGHTS	1	USAC	
HK-20-110E		Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1)	4	USAC	XX-17-1205
		(2) each side as scene lights			
HK-20-130E		Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1)	2	USAC	XX-17-1205
		(2) on rear as load lights			

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
HK-20-7400		Rear Side Scene Lts to Activate W/Rev Gear.	1	USAC	XX-17-5561
		WARNING LIGHT FLASHERS	1	USAC	
HU-24-6000		Flasher, Vanner 5860GCPE, C/D/E Spec	1	USAC	FLT1520101
		HARNES LAYOUT:	1	USAC	
J5-12-0100		Halogen, " E " Spec, Vanner	1	USAC	H960124V
		STOP/TURN/TAIL LIGHTS:	1	USAC	
JA-13-8052		Tail Lights, Truck Light, LED, Rectangle, (R, C, A), ILOS	1	USAC	JA138052V
		Incandescent Reverse #45024			
		LED Turn #45051Y			
		LED Brake #45058R			
		MODULE OVERHEAD HEADLINER:	1	USAC	
JK-10-5500		Headliner, Flat, Expanded PVC, Std	1	USAC	JK105500V
		12VDC INTERIOR LIGHTING:	1	USAC	
JP-10-2611		Lights, Dome, LED, Whelen, White Flng, (3)S/S, (3)C/S, ILOS, M1	1	USAC	XX-15-048U
		Three (3) streetside in liner and three (3) curbside in liner equally spaced			
		Each side controlled by separate switch in action area standard. High/Off/Low			
JP-10-7015		Light, Stepwell, LED, Whelen #TOCACCCR, 2in, ILOS	1	USAC	JP107015V
JP-10-8030		Light, Intertek ZY-PIR38 12v, LED, In A/A ILOS	1	USAC	JP108030V
		LIGHTS & MISCELLANEOUS:	1	USAC	
JR-50-2950		Light, LED, Compt, Whelen #TOCACCCR, 2in, Each, ILOS	5	USAC	JR502950V
JR-50-2975		Light, 4" LED, Compt, Optronics #BUL43-CB, Each, ILOS	2	USAC	JR502975V
JR-60-1500		Timer, 15 Minute, Twist style, Intermatic Constant Hot	1	USAC	FLT1602392
		LOCATION: on C/S wall at the head of the squad bench in the standard location. Wired to Streetside domes -High.			
		SUCTION PUMPS:	1	USAC	
LP-10-0500		Suction Pump, Standard mounted in compartment "S2"	1	USAC	FLT2396351
		INSULATION:	1	USAC	
LU-10-1000		Insulation, Fiberglass, Unfaced	1	USAC	1000413V
		OVERHEAD GRABRAIL:	1	USAC	
N0-10-6005		Grabrail, 1 Inch X 96.5 Inch, Handicap Style, Stainless Steel, M1	1	USAC	N5138005V
		GRABRAIL(S)/GRABHANDLES:	1	USAC	
N0-11-0503		Handrails, (3), Custom "L" Shape, 1" Stainless Steel, Entry Drs, Std M1	1	USAC	N0110503V
		O2 CYLINDER RACKS:	1	USAC	
NA-10-1500		Rack, Versatile, "M" Or "H", ILOS Ladder Style Oxygen Rack Painted Black.	1	USAC	2309971V
		STRAPS, 02:	1	USAC	
NA-30-2800		Strap, Cylinder, Ratchet Style, (3) Each, Standard	1	USAC	2350804V
		O2 SYSTEMS COMPLETE:	1	USAC	
NF-50-3500		O2 System, LF Stor, (1) O2/(1) Vac Port in A/A, (1) O2 C/S Ohio style outlets	1	USAC	2310007V
		(1) oxygen outlet in action area			
		(1) vacuum port in action area			
		(1) oxygen outlet curbside wall at head of squad bench			
P0-59-7500		Regulator, Oxygen Cylinder, Preset 50PSI, Installed	1	USAC	XX-17-6200
		SUCTION CONTAINERS:	1	USAC	
PA-10-7001		Regulator/Holder, SSCOR 22000, Std	1	USAC	FLT2300227
		COT MOUNTS:	1	USAC	
		**** ENGINEERING ****			

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
		NO COT FASTENER. STOCK UNIT. COT FASTENER WILL BE DETERMINED AT TIME OF VEHICLE SALE.			
		FLOOR MUST BE SET UP FOR ALL POSSIBLE COT FASTENERS.			
		IV HOOKS:	1	USAC	
PP-20-1000		IV Hook, Perko, (1), W/Straps, STD	2	USAC	FLT2352501
		curbside and streetside standard locations			
		MISC. INSTALLED HARDWARE/EQUIPMENT:	1	USAC	
R5-10-8000		Wrench, Oxygen, Tethered, Mods in oxygen compartment.	1	USAC	2350810V
R5-11-5700		Seatbelt, Assy, (6) Point, (1) EA - Change Notice 8 -Compliant On squad bench - Black	2	USAC	R5115700V
R5-11-5700		Seatbelt, Assy, (6) Point, (1) EA - Change Notice 8 -Compliant for CPR side seat.	1	USAC	R5115700V
		INSTALLED STRAPS:	1	USAC	
RK-12-3200		Strap, Quick Clip Adjustable, M1, Std in LR compt (1) in compartment S3 approximate 2/3 height.	1	USAC	FLT2359958
RK-13-3500		Strap, Seat Belt style with metal buckle State Location:	1	USAC	XX-19-0506
		MODULE INTERIOR	1	USAC	
RU-05-0000		Interior Cabinets - Duralite Construction, Wood	1	USAC	RU-05-0000
		MICA COLOR:	1	USAC	
RU-10-3010		Mica, Gray Pampas #4168-01, Gloss	1	USAC	RU103010V
		SUB FLOORING:	1	USAC	
RZ-99-0050		Flooring, Wood, Type 1, Std	1	USAC	RZ990050V
		FLOORING:	1	USAC	
T0-10-0503		Flooring, Johnsonite, Optima Sidewalk, #866	1	USAC	T0100503V
		SEAMLESS ATTENDANT SEATS:	1	USAC	
T5-10-5075		Seat, Attendant, EVS 1780B, Gunmetal, Metal Base With 3 point seatbelt and metal box base.	1	USAC	T5105075V
		SEAMLESS UPHOLSTERY:	1	USAC	
T5-25-0500		Upholstery, Seamless, Gunmetal, Standard	1	USAC	1900389V
TB-10-0025		Cab J1, Wood Door, Hinged on the Bottom	1	USAC	TB100025V
TB-10-0090		Cab K, Clear Lexan Slider, 1/4 Lexan	1	USAC	TB100090V
TB-10-0130		Cab L, Clear Lexan Slider, 1/4 Lexan	1	USAC	TB100130V
TB-10-0210		Cab M, Clear Lexan Slider, 1/4 Lexan	1	USAC	TB100210V
TB-10-0290		Cab O, Clear Lexan Slider, 1/4 Lexan	1	USAC	TB100290V
		BULKHEAD CABINET:	1	USAC	
TF-52-0556		Cabinet, Bulkhead, Std, M1, Type 1	1	USAC	TF520556V
		O2 DOOR:	1	USAC	
TK-10-5000		Lexan Flap W/Hinge	1	USAC	2100052V
		RIGHT FRONT CABINET:	1	USAC	
TU-20-4956		Cabinet, RF, Std, Combo A/C, M1, Type 1 Inside access to the upper section of C1	1	USAC	TU204956V
		RF CABINET DOORS W/COMBO A/C	1	USAC	
TU-20-8701		Doors, Dual Wood, RF Cabinet	1	USAC	TU208701V
		HARDWARE,LATCHES AND LOCKS:	1	USAC	

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
V0-10-0500		Handle, C, Pull, Installed,(1) Ea,STD -RF Cabinet(s)	1	USAC	2109707V
V0-10-2000		Latch, Plunger Roller, Installed -RF Cabinet(s)	1	USAC	2109714V
V0-11-5000		Latch, Lever, No Key, STD, Installed	1	USAC	FLT2019705
SQUAD BENCH:			1	USAC	
V5-20-7051		Cabinet, Squad Bench, Standard, M1, Type 1 - With Bio-waste at the head of the squad bench cabinet.	1	USAC	V5207051V
LID AND HARDWARE			1	USAC	
V5-60-2200		Lid, Squad Bench, Split W/Bio-Waste Front lid lifts only- back lid fixed above C2 compartment.	1	USAC	V5602200V
V5-80-1005		Handle, Trimark, Squad Bench, STD	1	USAC	V5801005V
V5-82-0500		Strut, Gas, 30 LB, Installed,	1	USAC	2109715V
BASEWALL CABINET:			1	USAC	
VK-17-7125		Cabinet, Basewall, Std, M1, Type 1, W/ CPR seat Cabinet H for stairchair Cabinets M, O.	1	USAC	VK177125V
VK-17-7165		Cabinet, Streetside Upper, M1, w/CPR Seat Cabinet J1 with door hinged at the bottom, lever latch at top. Small Cabinet K, Cabinet L with vertical divider in center	1	USAC	C242154V
VP-15-0066		Cabinet, Action Area, M1, Type 1 Action area work surface to be the laminated top of the cabinet.	1	USAC	VP150066V
VU-14-4000		Shelf, Interior, Adj, in Cabinet:	2	USAC	2101503V
VU-14-4003		Shelf Track, Cabts, w/Retainer Clips (not exterior style shelf track)	2	USAC	VU144003V
WHEELCOVERS:			1	USAC	
X5-10-3801		Wheel Covers, Phoenix, Ford Type 1, Installed with Air Max Valve Extenders, std	1	USAC	X5103801V
SHIP LOOSE ITEMS:			1	USAC	
YY-00-0001		Bracket, Spare Tire Mounting, Ship Loose	1	USAC	YY000001V
YY-13-3000		Spare Tire, OEM only, Ship Loose	1	USAC	1000800V
WARRANTIES			1	USAC	
ZZ-10-0101		Warranty, Conversion, 12 Month	1	USAC	0589998-14
ZZ-10-0201		Warranty, Paint, 60 month Prorated, Standard	1	USAC	0599997-14
ZZ-10-0300		Warranty, Structural, 15 Years, Std., Mods	1	USAC	0589996-14
ZZ-10-0601		Warranty, Limited Electrical	1	USAC	0589993-14
ZZ-10-0701		Warranty, Cabinet Construction	1	USAC	ZZ100701-14
End Of Order			1	USAC	9980002